

CHAPTER 7.**PUBLIC AND PRIVATE UTILITIES****705. STORM SEWERS****Section 705.01. Connection of Storm Drains to Sanitary Sewer Forbidden.**

Subd. 1. No roof or surface water drains shall be connected to the sanitary sewer system of the City.

Subd. 2. Disconnection. Any person, firm or corporation having a roof or surface water drain connected with the sanitary sewer system shall forthwith disconnect the same. The opening in the sewer shall be closed in an effective workmanlike manner.

Section 705.03. Leaders and Storm Sewer Connections. Every building without a yard adequate to absorb the surface water collected from such building shall be equipped with proper metallic leaders for conducting water from its roof in such manner as shall protect the walls and foundation from damage, and shall be connected with a public storm sewer wherever there is such a public storm sewer within 50 feet of such building in any abutting street or on private land. Such leaders shall be so placed and such connection shall be so made that no water flows upon any public sidewalk or damages any street abutting such premises.

Section 705.05. Noncompliance Notice. Whenever a building does not comply with one or more of the requirements of Section 705.03, the Clerk-Treasurer shall serve a notice on the owner of such building requiring him to install the necessary roof drainage facilities and to make connection with a storm sewer as required by Section 705.03.

Section 705.07. Sanitary Sewage in Storm Sewer Prohibited. No person shall in any way permit any sanitary sewage to flow into any public storm drain from any premises owned by him or under his control.